



HEXATRONIC 

STINGRAY

HIGH PERFORMANCE
AIR BLOWN FIBER

Ultra Fast, Extremely Smooth and Powerful




Meet the New Star of the Hexatronic Air Blown Fiber System

Stingray is a high performance air blown fiber developed to keep its unique characteristics and deliver perfect results – even in really tough conditions. With Stingray you are always ready to meet your next installation challenge.

High-tech Materials and Innovative Design

Stingray is available in configurations from 2 to 12 fibers. A new high-tech mantel material makes it easier to peel the air blown fiber and improves the blowing performance. The 2-fiber version of the air blown fiber has also been strengthened by a filler wire that makes the fiber even more robust and significantly increases the blowing performance. A high quality and bend-resistant fiber, the G657A2, is used. This means there is no increased attenuation when installing the fiber.




Unique Features for Smooth Operation

Stingray is a result of Hexatronic's technical knowledge and tough product testing methods – developed to optimize the installation experience and product durability.

0%

SHEATH
SHRINKAGE

No sheath shrinkage, which means no fragile splice points or sensitive installations in wall sockets and fiber cabinets.



+20%

INCREASED BLOWING
PERFORMANCE

Excellent air blown performance for fast and easy installation or further distances in a shorter time.




+25%

EXTENDED
TEMPERATURE
RANGE

Developed to withstand tough conditions. Robust design with an extreme temperature range from -50° to +85°C. The air blown fiber is also designed to withstand ice in microducts.



-50° to +85°C



Stingray is air blown with the Hexatronic ABF Installation Tool





100% Recyclable Packaging

Stingray comes in packaging made of 100% recyclable, water resistant corrugated cardboard. The design enables the circular hole in the lid to guide the fiber and prevents tangling. When the box is empty, just flatten it and recycle it as paper packaging. The packaging is tested for field use and can withstand rain showers and other outdoor conditions.

Easy, convenient and environmentally friendly!



Smart Tool for Super Easy Stripping

The Hexatronic Stripping Tool is included in every Stingray fiber pan. The tool makes it easy to peel the air blown fiber without damaging the actual fibers.

Ordering Information

PRODUCT NO	DESCRIPTION
KRPM258013/1000M	Air Blown Fiber, Stingray 2xG657A2, PAN 1000m
KRPM258013/2000M	Air Blown Fiber, Stingray 2xG657A2, PAN 2000m
KRPM258013/4000M	Air Blown Fiber, Stingray 2xG657A2, PAN 4000m
KRPM258013/6000M	Air Blown Fiber, Stingray 2xG657A2, PAN 6000m
KRPM258014/2000M	Air Blown Fiber, Stingray 4xG657A2, PAN 2000m
KRPM258014/4000M	Air Blown Fiber, Stingray 4xG657A2, PAN 4000m
KRPM258014/6000M	Air Blown Fiber, Stingray 4xG657A2, PAN 6000m
KRPM258015/2000M	Air Blown Fiber, Stingray 6xG657A2, PAN 2000m
KRPM258015/4000M	Air Blown Fiber, Stingray 6xG657A2, PAN 4000m
KRPM258015/6000M	Air Blown Fiber, Stingray 6xG657A2, PAN 6000m
KRPM258016/1000M	Air Blown Fiber, Stingray 8xG657A2, PAN 1000m
KRPM258016/2000M	Air Blown Fiber, Stingray 8xG657A2, PAN 2000m
KRPM258016/4000M	Air Blown Fiber, Stingray 8xG657A2, PAN 4000m
KRPM258017/500M	Air Blown Fiber, Stingray 12xG657A2, PAN 500m
KRPM258017/1000M	Air Blown Fiber, Stingray 12xG657A2, PAN 1000m
KRPM258017/2000M	Air Blown Fiber, Stingray 12xG657A2, PAN 2000m
KRPM258017/4000M	Air Blown Fiber, Stingray 12xG657A2, PAN 4000m

PRODUCT NO	DESCRIPTION
KRPM258019/1000M	Air Blown Fiber, Stingray 2xG657A2 TIA598, PAN 1000m
KRPM258019/2000M	Air Blown Fiber, Stingray 2xG657A2 TIA598, PAN 2000m
KRPM258019/4000M	Air Blown Fiber, Stingray 2xG657A2 TIA598, PAN 4000m
KRPM258019/6000M	Air Blown Fiber, Stingray 2xG657A2 TIA598, PAN 6000m
KRPM258022/2000M	Air Blown Fiber, Stingray 4xG657A2 TIA598, PAN 2000m
KRPM258022/4000M	Air Blown Fiber, Stingray 4xG657A2 TIA598, PAN 4000m
KRPM258022/6000M	Air Blown Fiber, Stingray 4xG657A2 TIA598, PAN 6000m
KRPM258034/1000M	Air Blown Fiber, Stingray 8xG657A2 TIA598, PAN 1000m
KRPM258034/2000M	Air Blown Fiber, Stingray 8xG657A2 TIA598, PAN 2000m
KRPM258034/4000M	Air Blown Fiber, Stingray 8xG657A2 TIA598, PAN 4000m
KRPM258017/1000M	Air Blown Fiber, Stingray 12xG657A2 TIA598, PAN 1000m
KRPM258017/2000M	Air Blown Fiber, Stingray 12xG657A2 TIA598, PAN 2000m
KRPM258017/4000M	Air Blown Fiber, Stingray 12xG657A2 TIA598, PAN 4000m

We are Here – Ready to Support You

Hexatronic is always ready to answer your questions regarding ordering, installation or technical support. Contact us at info@hexatronic.com, order@hexatronic.com or visit www.hexatronic.com



Hexatronic Cables & Interconnect Systems AB, Kabelvägen 1, 824 82 Hudiksvall, Sweden
Tel +46 (0)10 453 02 00 info@hexatronic.com www.hexatronic.com

Rev. 2017-B